CE

DECLARATION OF PERFORMANCE

No.MTH.003CPR2013-07-01

1. Unique identification code of the product type
   Type, batch or serial number or any other element allowing identification of the product
   Dry-pressed ceramic tiles, with low water absorption E_b ≤0,5 %
2. Intended use(s)
   For internal and external, floorings and wall finishes
3. Name or registered trade mark, and contact address of the manufacturer
   TAU CERAMICA SOLUTIONS, S.L.U.
   Carrer del Toll, 18 // 12200 Onda (Castellón) SPAIN
4. System(s) of assessment and verification of constancy of performance (AVCP)
   Systems 4
5. Name and identification number of notified laboratory, if relevant – **not applicable**
   Task(s) carried out
   AVCP system
   Document issued and date of issue

6. Declared performances

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	**$A1_{FL}$/A1**	**EN 14411:2012**
Release of dangerous substance, for:		
- Cadmium	**NPD**	
- Lead	**NPD**	
Breaking strength	**> 1 300 N**	
Slipperiness	**NPD**	
Tactility	**NPD**	
Bond strength/adhesion, for:		
Cementitious adhesive, type C2	**> 1 N/mm²**	
Thermal shock resistance	**Pass**	
Durability for:		
- internal use:	**Pass**	
- external use: freeze-thaw resistance	**Pass**	

The performance of the product identified in point 1 is in conformity with the declared performances in point 6. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.
Signed for and on behalf of the manufacturer by:

Mariano Sebastiá (Manager)
Name and function

Onda, 01-01-2021
Place and date of issue

Signature

TAU CERAMICA SOLUTIONS, S.L.U. 12200 ONDA (CASTELLÓN) SPAIN

CE

DECLARATION OF PERFORMANCE

No.MTH.001CPR2013-07-01

1. Unique identification code of the product type
   Type, batch or serial number or any other element allowing identification of the product
   Dry-pressed ceramic tiles, with water absorption E_b >10 %
2. Intended use(s)
   For internal wall finishes
3. Name or registered trade mark, and contact address of the manufacturer
   TAU CERAMICA SOLUTIONS, S.L.U.
   Carrer del Toll, 18 // 12200 Onda (Castellón) SPAIN
4. System(s) of assessment and verification of constancy of performance (AVCP)
   Systems 4
5. Name and identification number of notified laboratory, if relevant – ***not applicable***
   Task(s) carried out
   AVCP system
   Document issued and date of issue

6. Declared performances

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	**A1**	**EN 14411:2012**
Release of dangerous substance, for:		
- Cadmium	**NPD**	
- Lead	**NPD**	
Bond strength/adhesion, for:		
Cementitious adhesive, type C1	**>0,5 N/mm²**	
Durability for:		
- internal use:	**Pass**	

The performance of the product identified in point 1 is in conformity with the declared performances in point 6. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.
Signed for and on behalf of the manufacturer by:

Mariano Sebastiá (Manager)
Name and function

Onda, 01-01-2021
Place and date of issue

Signature

TAU CERAMICA SOLUTIONS, S.L.U. (CASTELLON) SPAIN

CE

DECLARATION OF PERFORMANCE

No.MTH.002CPR2013-07-01

1. Unique identification code of the product type
   Type, batch or serial number or any other element allowing identification of the product
   Dry-pressed ceramic tiles, with water absorption *3%< E_b ≤ 6%*
2. Intended use(s)
   For internal floorings
3. Name or registered trade mark, and contact address of the manufacturer
   TAU CERAMICA SOLUTIONS, S.L.U.
   Carrer del Toll, 18 // 12200 Onda (Castellón) SPAIN
4. System(s) of assessment and verification of constancy of performance (AVCP)
   Systems 4
5. Name and identification number of notified laboratory, if relevant – **not applicable**
   Task(s) carried out
   AVCP system
   Document issued and date of issue

6. Declared performances

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	**$A1_{FL}$**	**EN 14411:2012**
Release of dangerous substance, for:		
- Cadmium	**NPD**	
- Lead	**NPD**	
Breaking strength	**> 1 000 N**	
Slipperiness	**NPD**	
Tactility	**NPD**	
Durability for:		
- internal use:	**Pass**	

The performance of the product identified in point 1 is in conformity with the declared performances in point 6. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3. Signed for and on behalf of the manufacturer by:

Mariano Sebastiá (Manager)
Name and function

Onda, 01-01-2021
Place and date of issue

Signature



CE

DECLARATION OF PERFORMANCE

No.MTH.004CPR2013-07-01

1. Unique identification code of the product type
   Type, batch or serial number or any other element allowing identification of the product
   Dry-pressed ceramic tiles, with water absorption 0,5%< $E_b \leq 3\%$
2. Intended use(s)
   For internal floorings
3. Name or registered trade mark, and contact address of the manufacturer
   TAU CERAMICA SOLUTIONS, S.L.U.
   Carrer del Toll, 18 // 12200 Onda (Castellón) SPAIN
4. System(s) of assessment and verification of constancy of performance (AVCP)
   Systems 4
5. Name and identification number of notified laboratory, if relevant – **not applicable**
   Task(s) carried out
   AVCP system
   Document issued and date of issue

6. Declared performances

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	**$A1_{FL}$**	**EN 14411:2012**
Release of dangerous substance, for:		
- Cadmium	**NPD**	
- Lead	**NPD**	
Breaking strength	**> 1 100 N**	
Slipperiness	**NPD**	
Tactility	**NPD**	
Durability for:		
- internal use:	**Pass**	

The performance of the product identified in point 1 is in conformity with the declared performances in point 6. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3. Signed for and on behalf of the manufacturer by:

Mariano Sebastiá (Manager)
Name and function

Onda, 01-01-2021
Place and date of issue

Signature

CE

DECLARATION OF PERFORMANCE

No.MTH.005CPR2013-07-01

1. Unique identification code of the product type
   Type, batch or serial number or any other element allowing identification of the product
   Dry-pressed ceramic tiles, with low water absorption E_b ≤0,5 % with thickness < 7,5 mm
2. Intended use(s)
   For internal and external, floorings and wall finishes
3. Name or registered trade mark, and contact address of the manufacturer
   TAU CERAMICA SOLUTIONS, S.L.U.
   Carrer del Toll, 18 // 12200 Onda (Castellón) SPAIN
4. System(s) of assessment and verification of constancy of performance (AVCP)
   Systems 4
5. Name and identification number of notified laboratory, if relevant – **not applicable**
   Task(s) carried out
   AVCP system
   Document issued and date of issue

6. Declared performances

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	**$A1_{FL}$/A1**	**EN 14411:2012**
Release of dangerous substance, for:		
- Cadmium	**NPD**	
- Lead	**NPD**	
Breaking strength	**> 700 N**	
Slipperiness	**NPD**	
Tactility	**NPD**	
Bond strength/adhesion, for:		
Cementitious adhesive, type C2	**> 1 N/mm²**	
Thermal shock resistance	**Pass**	
Durability for:		
- internal use:	**Pass**	
- external use: freeze-thaw resistance	**Pass**	

The performance of the product identified in point 1 is in conformity with the declared performances in point 6. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.
Signed for and on behalf of the manufacturer by:

Mariano Sebastiá (Manager)
Name and function

Onda, 01-01-2021
Place and date of issue

Signature

Ceramica
Calle Del Toll, nº 18
12200 ONDA (CASTELLÓN) SPAIN