SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

PAMESA GRUPO EMPRESARIAL S.L.U.

CAMINO ALCORA S/N 12550, ALMAZORA-CASTELLON, Spain

For the following product(s):

Porcelain: ASCALE ELITE S.L.U, ECOCERAMIC, S.L.U., GEOTILES, S.L.U., NAVARTI CERÁMICA, S.L.U., PAMESA CERÁMICA COMPACTTO, S.L.U., PRISSMACER CERÁMICA, S.L.U., TAU CERAMICA SOLUTIONS, S.L.U.

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore[®]

Indoor Air Quality Certified to SCS-105 v4.2-2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-06088

Valid from: May 01, 2025 to April 30, 2026

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, http://www.scsglobalservices.com/certified-green-products-guide.





Diana Kirsanova Phillips, Chief Assurance Officer, SCS Global Services

